



Certificate of Analysis

Customer

C'BIDA
13760 Noel Road Suite 900
Dallas, TX 75240
Lic Number:



Overall Batch Results

Potency PASS	Foreign Material N/A
Water Activity N/A	Mycotoxins N/A
Heavy Metals PASS	Microbial Screen N/A
Pesticide PASS	Residual Solvents N/A

Report No: AFSG220112-021
Sample ID: 22AF002919
Sample Type: Hemp
Collected Date:
Received Date: 01/12/2022
Batch Size:
Sample Size:
Batch Number:
COA released: 01/19/2022 11:45 AM
Serving Size: 237 mL

Sample Name: Restore - 8 oz

Potency

Date Tested: 01/19/2022 Method: Internal HPLC Method

Instrument Type: HPLC

0.00 % Total THC	0.01 % Total CBD	0.01 % Total Cannabinoids	0.11 mg/g Total Cannabinoids	NT Moisture Content
----------------------------	----------------------------	-------------------------------------	--	-------------------------------

Analyte	Result mg/g	Result %	LOD %	LOQ %	Result	Units
Cannabichromene (CBC)	ND	ND	0.001	0.005	ND	mg/svg
Cannabichromenic acid (CBC-A)	ND	ND	0.001	0.005	ND	mg/svg
Cannabicyclol (CBL)	ND	ND	0.001	0.005	ND	mg/svg
Cannabidiol (CBD)	0.1130	0.01	0.001	0.005	26.78	mg/svg
Cannabidivarin (CBDV)	ND	ND	0.001	0.005	ND	mg/svg
Cannabidivarinic acid (CBDV-A)	ND	ND	0.001	0.005	ND	mg/svg
Cannabidiolic acid (CBDA)	ND	ND	0.001	0.005	ND	mg/svg
Cannabigerol (CBG)	ND	ND	0.001	0.005	ND	mg/svg
Cannabigerolic acid (CBGA)	ND	ND	0.001	0.005	ND	mg/svg
Cannabinol (CBN)	ND	ND	0.001	0.005	ND	mg/svg
d8-Tetrahydrocannabinol (d8-THC)	ND	ND	0.001	0.005	ND	mg/svg
d9-Tetrahydrocannabinol (d9-THC)	ND	ND	0.001	0.005	ND	mg/svg
Tetrahydrocannabivarin (THCV)	ND	ND	0.001	0.005	ND	mg/svg
Tetrahydrocannabivarinic acid (THCV-A)	ND	ND	0.001	0.005	ND	mg/svg
Tetrahydrocannabinolic acid (THCA)	ND	ND	0.001	0.005	ND	mg/svg
d9-Tetrahydrocannabinolic acid-A (THCA-A)	ND	ND	0.001	0.005	ND	mg/svg

Heavy Metals

Date Tested: 01/19/2022 Method: Internal ICP-MS Method

Instrument Type: ICP-MS

Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Arsenic	ND	ppm	0.03	0.1	Pass	Cadmium	ND	ppm	0.02	0.1	Pass
Lead	ND	ppm	0.02	0.1	Pass	Mercury	ND	ppm	0.02	0.1	Pass

Pesticide

Date Tested: 01/19/2022 Method: Internal Method

Instrument Type: GC-MS / LC-MS

Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Acetamiprid	< 0.125 ppm	ppm	0.0625	0.125	Pass	Aldicarb	< 0.125 ppm	ppm	0.0625	0.125	Pass
Azoxystrobin	< 0.125 ppm	ppm	0.0625	0.125	Pass	Bifenazate	< 0.125 ppm	ppm	0.0625	0.125	Pass
Boscalid	< 0.125 ppm	ppm	0.0625	0.125	Pass	Carbaryl	< 0.125 ppm	ppm	0.0625	0.125	Pass
Carbofuran	< 0.125 ppm	ppm	0.0625	0.125	Pass	Chlorantraniliprole	< 0.125 ppm	ppm	0.0625	0.125	Pass
Chlorpyrifos	< 0.125 ppm	ppm	0.0625	0.125	Pass	Cypermethrin	< 1.25 ppm	ppm	0.625	1.25	Pass
Diazinon	< 0.125 ppm	ppm	0.0625	0.125	Pass	Dichlorvos	< 0.125 ppm	ppm	0.0625	0.125	Pass

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

This product has been tested by AFL using validated testing methodologies and a quality system. Values reported relate only to the product tested. AFL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of AFL. Uncertainty information is available on request. Photo is of sample received by the lab and may vary from final packaging. Stated results apply to the samples as received.

Pesticide											
Date Tested: 01/19/2022 Method: Internal Method						Instrument Type: GC-MS / LC-MS					
Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Ethoprop(hos)	< 0.125 ppm	ppm	0.0625	0.125	Pass	Etofenprox	< 0.125 ppm	ppm	0.0625	0.125	Pass
Fipronil	< 0.125 ppm	ppm	0.0625	0.125	Pass	Flonicamid	< 0.125 ppm	ppm	0.0625	0.125	Pass
Glyphosate	NT				NT	Imidacloprid	< 0.125 ppm	ppm	0.0625	0.125	Pass
Metalaxyl	< 0.125 ppm	ppm	0.0625	0.125	Pass	Methiocarb	< 0.125 ppm	ppm	0.0625	0.125	Pass
Methomyl	< 0.125 ppm	ppm	0.0625	0.125	Pass	Methyl Parathion	< 1.25 ppm	ppm	0.625	1.25	Pass
Myclobutanil	< 0.125 ppm	ppm	0.0625	0.125	Pass	Oxamyl	< 0.125 ppm	ppm	0.0625	0.125	Pass
Permethrin I	< 0.125 ppm	ppm	0.0625	0.125	Pass	Pyridaben	< 0.125 ppm	ppm	0.0625	0.125	Pass
Spiroxamine I	< 0.125 ppm	ppm	0.0625	0.125	Pass	Tebuconazole	< 0.125 ppm	ppm	0.0625	0.125	Pass
Thiacloprid	< 0.125 ppm	ppm	0.0625	0.125	Pass	Thiamethoxam	< 0.125 ppm	ppm	0.0625	0.125	Pass

Certified by:


Colleen Villanueva - CEO

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count

This product has been tested by AFL using validated testing methodologies and a quality system. Values reported relate only to the product tested. AFL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of AFL. Uncertainty information is available on request. Photo is of sample received by the lab and may vary from final packaging. Stated results apply to the samples as received.